

School reopening without robust COVID-19 mitigation risks accelerating the pandemic

On Feb 22, 2021, the UK Government announced that schools in England would fully reopen on March 8, 2021. While returning to school as soon as possible is imperative for the education, social development, and mental and physical welfare of children, not enough has been done to make schools safer for students and staff.¹ Without additional mitigations, increases in transmission are likely, this time with more infectious and possibly more virulent variants, resulting in further lockdowns, school closures, and absenteeism. Even when schools were supposed to be fully open, at points of high community transmission, 22% of secondary school children were not attending due to self-isolation.² In some areas, attendance was as low as 61%.³

Arguments that schools do not contribute to community transmission and that the overall risk to children from COVID-19 is very small have meant that mitigations in schools have received low priority. Yet the evidence cited for these arguments has serious limitations.^{4,5} Primary and secondary school closures have been associated with substantial reductions over time in the effective reproduction number (R_t) across many countries (including England) and time periods.^{6,7} In contrast, data from the Office for National Statistics' (ONS) 2020 COVID-19 Infection Survey show that the prevalence of infection among children aged 2–10 years (2%) and 11–16 years (3%) rose above the prevalence for all other age groups before the 2020 Christmas break (appendix p 4). Both modelling and real-world data in preprint showing rising cases in regions where the SARS-CoV-2 B.1.1.7 variant was prevalent during the lockdown in

November, 2020 (when schools were open),^{8,9} suggest that opening all schools now without robust mitigatory measures in place will probably lead to R_t rising above 1 in almost all scenarios. Modelling data by the University of Warwick and Imperial College London¹⁰ suggest that at least 30 000 more deaths from COVID-19 are estimated under the proposed reopening scenarios. Throughout February, 2021,¹¹ despite fewer students being in school at

this time, teaching staff were at higher risk of infection. Recent school outbreaks in northern Italy, where the B.1.1.7 variant is prevalent, are also concerning.¹²

Although COVID-19 is unlikely to cause severe disease in children, estimates of the prevalence of long COVID symptoms based on the ONS Infection Survey suggest that 13% of children aged 2–10 year and 15% of those aged 12–16 years have at least one persistent symptom 5 weeks after



Published Online
March 10, 2021
[https://doi.org/10.1016/S0140-6736\(21\)00622-X](https://doi.org/10.1016/S0140-6736(21)00622-X)

For estimates of the prevalence of long COVID symptoms see <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/healthandlifeexpectancies/adhocs/12788updatedestimatesoftheprevalenceoflongcovidsymptoms>

Panel: Recommendations

Physical distancing

General

- Traffic light system of risk
- Use remote or blended learning to reduce footfall

During travel

- Keep travel bubbles constant
- Stagger start and finish times
- Avoid mixing (eg, at school gates)
- Open windows and wear masks on transport

In classrooms

- Keep bubble size small
- Reduce movement among bubbles
- Deploy additional staff to reduce class sizes
- Use large spaces (eg, halls)
- Quarantine applies to whole bubbles

Protections for students and staff

Hand and surface hygiene

- Provide hand washing stations and hand sanitisers
- Wash hands regularly and at key points (eg, after using the toilet)

Vaccination

- Account for exposure alongside age and disease-related risk in vaccine prioritisation
- Prioritising school staff reduces educational disruption due to staff illness

Testing

- Do not assume tests are 100% accurate
- Testing complements other measures rather than replacing them

Ventilation and face coverings

Ventilation

- Open windows and doors
- Teach outdoors (or in large halls) wherever possible
- Use CO₂ monitors to assess air quality
- Install High Efficiency Particulate Air filters with air cleaning devices
- All physical education outdoors
- No high-risk lessons (eg, singing, brass or wind instruments), except remotely

Face coverings

- Encourage children aged 5 years or older to use a mask (with exemptions)
- Teach correct mask fitting and use
- Remove masks only when outdoors or eating
- Consider transparent face coverings to improve communication
- Safe disposal or washing of masks

Support children and families

Support blended and remote learning

- Allow optional remote learning
- Support remote learning with technologies, funding, practical support, and skills training
- Provide for safe delivery or pick-up of free school meals
- Ensure safeguarding of at-risk children

Address the harms of educational disruption

- Support with isolation
- Record educational disruption alongside grades
- Provide mental health support to children
- Enhanced skills provision (eg, summer schools)

For the COVID-19 Infection Survey see <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/conditionsanddiseases/datasets/coronaviruscovid19infectionsurveydata>

See Online for appendix
Submissions should be made via our electronic submission system at <https://ees.elsevier.com/thelancet/>

testing positive. Given uncertainty around the long-term health effects of SARS-CoV-2 infection, it would be unwise to let the virus circulate in children, with consequent risk to their families. Reopening fully in the setting of high community transmission without appropriate safeguards risks depriving many children of education and social interaction again, worsening existing inequalities. By contributing to high community transmission, it also provides fertile ground for virus evolution and new variants.

Multi-layered mitigations can substantially reduce the risk of transmission within schools and into households.¹³ In the panel we summarise a set of recommendations that are in line with guidelines from the US Centers for Disease Control and Prevention (CDC) and practised in many countries to reduce the risk of transmission in schools and mitigate the impact of COVID-19 on children and families. A detailed set of recommendations and an infographic are provided in the appendix. Making schools safer goes hand in hand with reducing community transmission and is essential to allow schools to safely reopen and remain open.

NAA and PR were involved in SARS-CoV-2 saliva testing pilots in Southampton supported by the Department of Health and Social Care. NAA experienced Long COVID symptoms. MM, SM, and SR are members of Independent SAGE. All other authors declare no competing interests.

**Deepti Gurdasani, *Nisreen A Alwan, Trisha Greenhalgh, Zoë Hyde, Luke Johnson, Martin McKee, Susan Michie, Kimberly A Prather, Sarah D Rasmussen, Stephen Reicher, Paul Roderick, Hisham Ziauddeen*
d.gurdasani@qmul.ac.uk;
n.a.alwan@soton.ac.uk

William Harvey Research Institute, Queen Mary University of London, London E1 4NS, UK (DG); School of Primary Care, Population Sciences and Medical Education, University of Southampton, Southampton, UK (NAA, LJ, PR); Nuffield Department of Primary Care Health Sciences, University of Oxford, Oxford, UK (TG); University of Western Australia, Perth, WA, Australia (ZH); London School of Hygiene & Tropical Medicine, London, UK (MM); University College London, London, UK (SM); University of California San Diego, San Diego, CA,

USA (KAP); Department of Mathematics, University of Cambridge, Cambridge, UK (SDR); Institute for Advanced Study, Princeton University, Princeton, NJ, USA (SDR); University of St Andrews, Edinburgh, UK (SR); Department of Psychiatry, University of Cambridge, Cambridge, UK (HZ)

- 1 Department for Education. Schools coronavirus (COVID-19) operational guidance. February, 2021. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/963541/Schools_coronavirus_operational_guidance.pdf (accessed March 4, 2021).
- 2 Department for Education. Week 47 2020. Attendance in education and early years settings during the coronavirus (COVID-19) outbreak. Nov 24, 2020. <https://explore-education-statistics.service.gov.uk/find-statistics/attendance-in-education-and-early-years-settings-during-the-coronavirus-covid-19-outbreak/2020-week-47> (accessed March 9, 2021).
- 3 Jeffreys B. More children in England missing school over Covid-19. Oct 27, 2020. <https://www.bbc.co.uk/news/education-54695618> (accessed March 9, 2021).
- 4 Hyde Z. COVID-19, children and schools: overlooked and at risk. *Med J Aust* 2021; **214**: 190–91.e1.
- 5 Hyde Z. Difference in SARS-CoV-2 attack rate between children and adults may reflect bias. *Clin Infect Dis* 2021; published online Feb 26. <https://doi.org/10.1093/cid/ciab183>.
- 6 Haug N, Geyrhofer L, Londei A, et al. Ranking the effectiveness of worldwide COVID-19 government interventions. *Nat Hum Behav* 2020; **4**: 1303–12.
- 7 Scientific Advisory Group for Emergencies. Children's Task and Finish Group: update to 4th Nov 2020 paper on children, schools and transmission. Dec 17, 2020. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/948617/s0998-tfc-update-to-4-november-2020-paper-on-children-schools-transmission.pdf (accessed March 4, 2021).
- 8 Volz E, Mishra S, Chand M, et al. Transmission of SARS-CoV-2 lineage B.1.1.7 in England: insights from linking epidemiological and genetic data. *MedRxiv* 2021; published online Jan 4. <https://www.medrxiv.org/content/10.1101/2020.12.30.20249034v2> (preprint).
- 9 Munday JD, Jarvis CI, Gimma A, et al. Estimating the impact of reopening schools on the reproduction number 2 of SARS-CoV-2 in England, using weekly contact survey data. *CMMID* 2021; published online Feb 15. <https://cmmid.github.io/topics/covid19/comix-schools.html> (preprint).
- 10 Scientific Pandemic Influenza Group on Modelling, Operational sub-group. Summary of further modelling. Feb 17, 2021. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/963565/S1130_SPI-M-O_Summary_of_further_modelling_of_easing_restrictions.pdf (accessed March 4, 2021).
- 11 Riley S, Walters CE, Wang H, et al. REACT-1 round 9 final report: continued but slowing decline of prevalence of SARS-CoV-2 during national lockdown in England in February 2021. *MedRxiv* 2021; published online March 6. <https://doi.org/10.1101/2021.03.03.21252856> (preprint).
- 12 Skytg24. Variante Covid, Corzano: focolaio in paese, chiuse le scuole. Feb 3, 2021. <https://tg24.sky.it/milano/2021/02/03/variante-covid-corzano-brescia> (accessed March 4, 2021).
- 13 Lessler J, Grabowski MK, Grant KH, et al. Household COVID-19 risk and in-person schooling. *MedRxiv* 2021; published online March 1. <https://doi.org/10.1101/2021.02.27.21252597> (preprint).

For the CDC's guidelines for reopening schools see <https://www.cdc.gov/coronavirus/2019-ncov/community/schools-childcare/index.html>